

WETROOM INNOVATIONS

2023

WETROOM INNOVATIONS



Wetrooms made easy

Brochure - 2023



Unit M1 Riverside Business Park
Buxton Road
Bakewell
Derbyshire
DE45 1GS

Tel: 01629 815500 Fax: 01629 812632

Email: sales@wetroominnovations.com

Web: www.wetroominnovations.com



www.betascreens.com

Complete Wetroom Kits	4-15
Tiled Floors	
Maxxus Kits	4-5
Underlay Plus Kits	6-7
Maxxus Linear Kits	8-9
Underlay Linear Kits	10
One-Deck Kits	11
Micro Cement Floors	
Maxxus Kits	12
Maxxus Linear Kits	13
Vinyl Floors	
Maxxus Vinyl Kits	14
Maxxus Linear Vinyl Kit	15
Floor Formers Only	16-17
Bespoke Floor Formers	17
Tanking Systems	18-20
Innovation Tanking System	18
Hydromat Tanking System	19
Decouplers and Self Adhesive Tanking Components	20
Vinyl Floor Trims	21
Drainage	22-31
Purus Drains & Grids	22-23
McAlpine Drains	24
Other Wetroom Drains	24
Purus Linear Drains - Micro Cement	25
Purus Linear Drains - Tile	26
Purus Linear Drains - Vinyl	27
Linke Line Linear Drains	28-29
Channel 100	30-31
Tile Backer Board Products	32-41
Tile Backer Board	32-33
Bath Panels	33
Tile Backer Board Fixings	33
Recessed Wall Niches	34-35
Seating & Lounger Profiles	36-41
Tile Adhesive	42
Mirror Demister Pads	42
Underfloor Heating	43
Steam Generators	44-45
Adaptations & Healthcare	46-55
Shower Seats	46
Grab Rails	47
Pellet Arsis Shower Seats	48-49
Pellet Arsis Grab Rails	50-51
Half Height Doors	52-55
Beta Screens	56-77
Single Shower Screens	58-59
Doors & Hinged Screens	60-61
Bath Screens	62
Flipper Hinge Conversion	63
Bespoke Screen Measuring Guide	64
Finishes	65
Bespoke Screen Examples	66-75
Shower Screen Hardware	76-77
Framed Screen Range	78-83
Seals	84
Accessories	85
Carriage and Returns	87

Wetroom Innovations has been supplying high end quality value for money wet room materials to the trade for over 15 years. We have a wealth of knowledge in every aspect of the process and as such can offer unparalleled levels of advice and personal service. With large UK stocks dispatched directly from our warehouse we can provide easy to install wet room kits with detailed instructions to you next day.

Wetroom Innovations offers market leading products to suit any domestic, commercial, tile or vinyl installation. Life of tiling warranty provides you and your customers with total peace of mind.

We can help you choose the right wet room products for perfect results. Our knowledge is at your disposal, if you can't find the information you require here or on our website please contact us.





Maxxus Deck -

Kit Includes;

Structural 470kg load-bearing deck.
No under-boarding required.
Can be cut down to size.

Minimax Drain -
(page 22)


47 Litres/minute flow rate.
40mm solvent weld.
Projects only 77mm below Maxxus deck.

Stainless Grid -
(page 23)

Choice of 2 standard grids.
Chess or Tile Insert.

8k Tanking Kit -
(page 18)

Easy to use paint on system.
Covers 7m² - 10m².



Maxxus Deck -

Kit Includes;

Structural 470kg load-bearing deck.
No under-boarding required.
Can be cut down to size.

Minimax Drain -
(page 22)

























47 Litres/minute flow rate.
40mm solvent weld.
Projects only 77mm below Maxxus deck.

Stainless Grid -
(page 23)

Choice of 2 standard grids.
Chess or Tile Insert.

Hydromat Tanking System -
(page 19)

Superior Butyl Membrane System.
5m² & 10m² kits.





Underlay Former -

Kit Includes;

Extruded foam former with high compressive strength.
Adjustable grid height for 8-15mm tiles.
Can be cut down to size.

Drain Kit -
(page 24)

34 Litres/minute flow rate.
Stainless steel grid.
Drain fitting aid for extra strength.

8k Tanking Kit -
(page 18)

Easy to use paint on system
Covers 7m² - 10m²

Standard Grid



Grid Upgrades
Reversible Tile Inserts


Stainless Steel



Brushed Brass




Black




DTK12-C

1200 x 1200 x 22mm




DTK12-O

1200 x 1200 x 22mm




DTK158

1500 x 800 x 27mm




DTK159

1500 x 900 x 27mm




DTK1510

1500 x 1050 x 25mm




DTK16

1600 x 900 x 27mm




DTK80

800 x 800 x 22mm




DTK90

900 x 900 x 22mm




DTK10-C

1000 x 1000 x 22mm




DTK10-O

1000 x 1000 x 22mm




DTK18-C

1800 x 900 x 27mm




DTK18-O

1800 x 900 x 27mm




DTK128

1200 x 800 x 22mm




DTK129-C

1200 x 900 x 22mm




DTK129-O

1200 x 900 x 22mm




DTK121

1200 x 1000 x 22mm




DTK19

1950 x 950 x 32mm



DTK1515

1500 x 1500 x 27mm





Maxxus Linear Deck -

Kit Includes;

Structural 470kg load-bearing deck.
No under-boarding required.
Can be cut down to size.


Purus Living Linear Drain -
(page 26)

Choice of 4 stainless steel grids.
Choice of 4 waste outlets.
High flow rates.


8k Tanking Kit -
(page 18)

Easy to use paint on system.
Covers 7m² - 10m².


6821983
1000 x 1000 x 22mm



6821988
1200 x 900 x 22mm



6821984
1200 x 900 x 22mm



Grid Options

Tile Insert Grate
Supplied as Standard



Twist Grate




Brushed Brass Twist Grate




Black Twist Grate




6821987
1200 x 1200 x 22mm




6821985
1400 x 900 x 22mm




6821989
1500 x 900 x 22mm



Tile Insert Grate



Twist Grate



Waste Options

Low 52mm (32 l/min)




Side 105mm (72 l/min)




End Parallel 105mm (72 l/min)




6821981
1500 x 1200 x 24mm



6821986
1600 x 900 x 22mm



6821982
1800 x 900 x 24mm





Underlay Linear Deck -

Purus Living Linear Drain -
(page 26)

8k Tanking Kit -
(page 18)

Kit Includes;

Extruded foam former with high compressive strength. Can be cut down to size.

Choice of 4 stainless steel grids. Choice of 4 waste outlets. High flow rates.

Easy to use paint on system. Covers 7m² - 10m².



One-Deck Tray -

Purus Living Linear Drain -
(page 26)

8k Tanking Kit -
(page 18)

Kit Includes;

Single fall to drain. Trim to any size required. Extruded foam former with high compressive strength.

Choice of 600 or 800mm drain. Choice of 4 stainless steel grids. Choice of 4 waste outlets. High flow rates.

Easy to use paint on system. Covers 7m² - 10m².

Grid Options



Waste Options

Low 52mm (32 l/min)



Side 105mm (72 l/min)



End Parallel 105mm (72 l/min)



Grid Options



Waste Options

Low 52mm (32 l/min)




Side 105mm (72 l/min)




End Parallel 105mm (72 l/min)




ULK850
850 x 850 x 22mm




ULK100
1000 x 1000 x 22mm




ULK129
1200 x 900 x 22mm




ULK159
1500 x 900 x 22mm




ULK161
1600 x 1000 x 22mm




ULK231
2300 x 1200 x 30mm




ULK189
1800 x 900 x 32mm




ODK1210
1200 x 1000mm



ODK1812
1800 x 1200mm





Maxxus Deck -

Kit Includes;

Structural 470kg load-bearing deck.
No under-boarding required.
Can be cut down to size.

Minimax Drain -
(page 22)

47 Litres/minute flow rate.
40mm solvent weld.
Projects only 77mm below Maxxus deck.

Micro Cement Grid -
(page 23)

Choice of 3 grids.
Brushed Anodised Aluminium.
Provides 3mm upstand.



Reversible Grid - Classic or Micro Cement Insert



Maxxus Linear Deck -


Kit Includes;

Structural 470kg load-bearing deck.
No under-boarding required.
Can be cut down to size.

Purus Living Linear Drain -
(page 25)

Choice of 2 grids.
Brushed Anodised Aluminium.
Provides 3mm upstand.
Choice of 4 waste outlets.
High flow rates.

Drain Dimensions



Low Outlet -



Side Outlet -





End Outlet -



Brushed Black -



Brushed Grey -






Maxxus Linear Deck -

Minimax Drain -
(page 22)

Vinyl Grid -

Kit Includes;

- Structural 470kg load-bearing deck. No under-boarding required. Can be cut down to size.
- 47 Litres/minute flow rate. Clamping ring for Vinyl flooring. 40mm Solvent weld. Projects only 77mm below Maxxus deck.
- White plastic Art Deco grid.



Stainless Steel Grid Upgrade -

Lockable Version -





Maxxus Linear Deck -

Living Linear Plus Drain -
(page 27)

Kit Includes;

- Structural 470kg load-bearing deck. No under-boarding required. Can be cut down to size.
- Stainless steel Chess grid. Clamping frame for vinyl flooring. Choice of 4 waste outlets. High flow rates.

Waste Options



Floor Formers

Tray only (no drain)

MAXXUS

Wet Room Floor Formers



Size (mm)	Thickness	Drain Position	Code
900 x 900	22	Offset	MT934
1000 x 1000	22	Offset	MT930
1135 x 770	22	Offset	MT931
1200 x 800	22	Offset	MT941
1200 x 900	22	Offset	MT929
1300 x 800	22	Offset	MT932
1200 x 1200	22	Offset	MT936
1400 x 900	22	Offset	MT935
1500 x 800	22	Offset	MT933
1450 x 1150	22	Offset	MT1411
1650 x 900	22	Centre	MT942
1800 x 800	22	Offset	MT1808

Linear Deck

Size (mm)	Thickness	Drain Position	Code
1000 x 1000	22	Offset	MT6821983
1200 x 900	22	Offset Long Edge	MT6821988
1200 x 900	22	Offset Short Edge	MT6821984
1200 x 1200	22	Offset	MT6821987
1500 x 900	22	Offset	MT6821989
1500 x 1200	24	Offset	MT6821981
1800 x 900	24	Offset	MT6821982
1400 x 900	22	Centre	MT6821985
1600 x 900	22	Centre	MT6821986

Underlay Plus



Size (mm)	Thickness	Drain Position	Code
800 x 800	22	Centre	DTT80
900 x 900	22	Centre	DTT90
1000 x 1000	22	Centre	DTT10C
1000 x 1000	22	Offset	DTT10O
1200 x 800	22	Offset	DTT128
1200 x 900	22	Centre	DTT129C
1200 x 900	22	Offset	DTT129O
1200 x 1000	22	Offset	DTT121
1200 x 1200	22	Centre	DTT12C
1200 x 1200	22	Offset	DTT12O
1500 x 800	27	Offset	DTT158
1500 x 900	27	Centre	DTT159
1500 x 1050	25	Offset	DTT151
1600 x 900	27	Offset	DTT16
1800 x 900	27	Centre	DTT18C
1800 x 900	30	Offset	DTT18O
1950 x 950	30	Offset	DTT19
1500 x 1500	27	Centre	DTT15

Underlay Linear



Size (mm)	Thickness	Drain Position	Code
850 x 850	22	Offset	ULT850
1000 x 1000	22	Offset	ULT100
1200 x 900	22	Offset	ULT129
1500 x 900	22	Offset	ULT159
1600 x 1000	22	Offset	ULT161
1800 x 900	32	Offset	ULT189
2300 x 1200	30	Offset	ULT231

Floor Formers


Bespoke Trays

Bespoke Underlay Trays



- Tiled floors only.
- Can be made to almost any size or shape with any drain location.
- Made to fit Underlay Plus waste or Purus linear drains.
- Linear trays may be four way or single fall.
- Tray thickness dependant upon size.
- 21 day lead time.

Bespoke Structural Trays



- Vinyl, tile or micro cement floors.
- Can be made to almost any size or shape with any drain location.
- Made to fit Purus Minimax waste or Purus linear drains.
- Only 22mm thick.
- 21 day lead time.

INNOVATION WETROOM SYSTEM

8k Tanking Liquid Kit

- Easy to use paint on tanking system.
- Covers up to 10m².
- Ready to use, no mixing required.
- Dries into a flexible sheet membrane.
- Suitable for use with underfloor heating.

8k Tanking Kit Contents

- 8k Tanking liquid.
- 10 Meters of joint tape.
- 2 x Internal corners
- 2 x Pipe collars.
- 1 Litre primer.
- 75mm brush.

Code
TK100



Tanking Liquid Only

Product	Code
8k liquid only	TK080
4k liquid only	TK040



Joint Tape 10m

Code
TK010



Internal Corner

Code
TK011



Pipe Collar

Code
TK013



External Corner

Code
TK012



Primer 1L

Code
1LP



Tanking Brush

Code
TK014



Hydromat

Hydromat Sheet Membrane Kit

- High tack self adhesive sheet membrane.
- 1000mm wide sheet.
- Used on both floors and walls.
- Can be tiled over immediately.
- Fleece top provides maximum key for tile adhesive.
- Suitable for use with underfloor heating.

5m² Kit Contents

- 5m² Hydromat membrane.
- 10m Hydromat joint tape.
- 2 x Self adhesive internal corners.
- 1 Litre primer.
- Butyl sealant.
- Roller.

Code
HMK5



10m² Kit Contents

- 10m² Hydromat membrane.
- 20m Hydromat joint tape.
- 2 x Self adhesive internal corners.
- 1 Litre primer.
- Butyl sealant.
- Roller.

Code
HMK10



Hydromat Membrane Only

Product	Code
10m ² membrane only	HM10
5m ² membrane only	HM5



10m Hydromat Joint Tape

Code
HMJT



Hydromat Internal Corner

Code
HMIC



Hydromat External Corner

Code
HMEC



Primer 1L

Code
1LP



Butyl Sealant

Code
HMBS



Roller

Code
HMR



Decouplers & Self Adhesive Tanking



Anti Fracture Matting

- 1000mm x 5000mm.
- Decoupling Membrane - absorbs stress and preserves the surface and integrity of the tiles and grout.
- Mechanical Bonding - reinforced fleece ensures strong reliable installations.
- Vapour Permeable - protects tile installation by blocking excess moisture vapour.
- Waterproof - protects moisture sensitive substrates.



Code

IDM5




Butyl Self-Adhesive Floor Drain Gasket

- 425 x 425mm.

Code

B425



Butyl Self-Adhesive Tanking Corners

- 120 x 120 x 60mm

Product	Code
Internal Corner	BNC60
External Corner	BEC60




DADA Self-Adhesive Tape

- 10m roll
- 80mm wide

Code

DADA10

Vinyl Floor Trims



Coving

- Creates a soft radiused edge at the floor corner where it meets the wall.
- 32 x 32 x 2000mm

Code

VF0200




Vinyl to Tile Trim - White

- Creates a neat join where vinyl meets the tiling above.
- 2400mm

Code

VF0204



Cove Capping - White

- Eliminates the raw edge of the vinyl with a neat cover strip.
- 2000mm

Code

VF0010

PURUS Drain Accessories



Purus Knife

- For installing vinyl or membranes into Mini drains.
- Cuts a perfect 107mm circle into vinyl or sheet membranes.

Code

7113605



Nood Inserts

- Replacement Traps.
- Minimax 1-part, 2-part and Living Linear.


Product	Code
Minimax Trap	7113765
105mm Trap	7113709
52mm Trap	53480



Minimax 2-Part Drain

- Nood* no-odour spring trap.
- Suitable for tile or vinyl flooring.
- Compatible with Maxxus floor formers.

Grid	Outlet	Depth	l/min	Code
White Plastic	Horizontal	89mm	48	52719



Minimax 1-Part Drain

- Nood* no-odour spring trap.
- Suitable for tile or vinyl flooring.
- Ideal for concrete floors.
- Compatible with Maxxus floor formers.

Grid	Outlet	Depth	l/min	Code
White Plastic	Horizontal	76mm	48	7113764UK



Mini Oden 50

- 50mm water seal.
- Suitable for tile or vinyl floors.
- Compatible with Maxxus floor formers.

Grid	Outlet	Depth	l/min	Code
White Plastic	Horizontal	118mm	48	7113535UK



Mini Brage 50

- 50mm water seal.
- Suitable for tile or vinyl floors.
- Compatible with Maxxus floor formers.

Grid	Outlet	Depth	l/min	Code
White Plastic	Vertical	118mm	48	7113539UK



Mini Brage 110

- 50mm water seal.
- Suitable for tile or vinyl floors.
- Compatible with Maxxus floor formers.

Grid	Outlet	Depth	l/min	Code
White Plastic	Vertical	118mm	84	7113538UK



S-Series Minimax

- Nood* no-odour spring trap.
- Stainless grid for tile or vinyl flooring.
- Ideal for concrete floors.


Grid	Depth	l/min	Code
Drain + Stainless Tile Grid	59mm	28.8	7110406T
Drain + Stainless Vinyl Grid	59mm	28.8	7110406V
Drain Only	59mm	28.8	7110406UK



Joti-R 110


- 50mm water seal.
- Fits directly into 110mm waste pipes.
- Stainless grid for tile or vinyl flooring.

Grid	Depth	l/min	Code
Drain + Stainless Tile Grid	130mm	48	3401657T
Drain + Stainless Vinyl Grid	130mm	48	3401657V
Drain Only	130mm	48	3401657



Chess

Drop



Art Deco

Wave



Classic

Tile Insert

Twist

Platinum

Tiling Adapter Grids

- Stainless steel grid & frame.
- Compatible with Purus "Mini" drains.

Grid	Dimensions	Code
Chess	155 x 155mm	53385
Drop	155 x 155mm	7138360
Art Deco	155 x 155mm	7138358
Wave	155 x 155mm	7138361
Classic	155 x 155mm	7138359
Drop	200 x 200mm	7138376
Tile Insert	130 x 130mm	52728
Twist	130 x 130mm	52729
Platinum	130 x 130mm	52730



Black

Brushed Brass



Copper

PVD Coated Grids

- Durable PVD Coated finish.
- Stainless steel Chess design grid & frame.
- Compatible with Purus "Mini" drains.



Finish	Code
Black	153872-843
Brushed Brass	153872-845
Copper	153872-842



Array

Elle



Equa

Oblo

Deco

Designer Grids

- Solid 5mm brushed stainless steel grids with frames.
- 138 x 138 x 5mm.
- Compatible with Maxxus & Underlay Plus floor formers.

Grid	Code
Array	ARRAY
Elle	ELLE
Equa	EQUA
Oblo	OBLO
Deco	DECO



Black

Grey



Gold

Brushed Stainless

Satin Stainless



Micro Cement Grids

- Manufactured by Wetroom Innovations Ltd.
- Designed specifically for micro cement floors.
- Reversible grid offers micro cement infill or classic face.
- 3mm upstand.
- Compatible with Purus "Mini" drains.



Finish	Code
Black	MC130B
Grey	MC130G
Gold	MC130AU
Brushed Stainless	MC130BS
Satin Stainless	MC130SS



Drop

Art Deco



Wave

Vinyl Grids

- Stainless Steel grids.
- Lockable option.
- Compatible with Purus "Mini" drains.

Grid	Code
Drop	7138392
Art Deco	7138400
Wave - Lockable Inc. Locks	7138394

Stainless Locks Only	7138426UK
Plastic Locks Only	7138417



Resin Grids

- Stainless Steel grid & frame.
- For micro cement and resin flooring.
- Compatible with Purus "Mini" drains.

Product	Code
Resin Riser	7138401SS



McAlpine TSG - Tile

- 150 x 150mm stainless steel grid.
- Compatible with Maxxus floor formers.

Grid	Outlet	Depth	l/min	Code
Polished Stainless	Horizontal	100mm	53.6	TSG52 T150SS
Polished Stainless	Vertical	130mm	>70	TSG2 T150SS

Horizontal - 50mm water seal trap. Vertical - 75mm water seal trap.



McAlpine TSG - Vinyl

- Polished stainless steel or white plastic vinyl grid.
- Securing screws.
- Compatible with Maxxus floor formers.

Grid	Outlet	Depth	l/min	Code
Polished Stainless	Horizontal	100mm	53.6	TSG52 SS
Polished Stainless	Vertical	130mm	>70	TSG2 SS
White Plastic	Horizontal	100mm	48	TSG52 WH
White Plastic	Vertical	130mm	>70	TSG2 WH

Horizontal - 50mm water seal trap. Vertical - 75mm water seal trap.



McAlpine TSG - Anti-ligature

- Anti-ligature polished stainless steel grate for use in secure accommodation.
- Home office approved.
- Includes security screwdriver bit to remove grate.
- Compatible with Maxxus floor formers.

Grid	Outlet	Depth	l/min	Code
Polished Stainless	Horizontal	100mm	48	TSG52ANTILIG
Polished Stainless	Vertical	130mm	>70	TSG2ANTILIG



McAlpine USG

- For use with shower pumps.
- Untrapped.
- 22mm outlet.
- Securing screws.
- Suitable for vinyl floors.
- Compatible with Maxxus floor formers.

Grid	Outlet	Depth	l/min	Code
Polished Stainless	Horizontal	44mm	10	USG SS
White Plastic	Horizontal	44mm	10	USGWH



McAlpine 70B

- 50mm water seal trap
- Adjustable height 105-168mm.
- Stainless steel grid or tile insert if flipped.
- Suitable for tile floors.

Outlet	l/min	Code
Horizontal	34	ST90-70B



Underlay Plus Drain Kit

- 34 l/m flow rate. *Tested under 15mm head of water.*
- Includes drain fitting aid.
- Includes stainless steel or tile insert grid.
- 50mm water seal trap.
- Fits Underlay Plus trays only.


Grid	Outlet	Code
Polished Stainless	Horizontal	J0218SS
Polished Stainless	Vertical	J0217SS
Tile Insert	Horizontal	J0218TI
Tile Insert	Vertical	J0217TI
Brass	Horizontal	J0218BB
Brass	Vertical	J0217BB
Black	Horizontal	J0218MB
Black	Vertical	J0217MB

Flow rates tested under a constant 15mm head of water and will vary depending on the cover plate used.



Living Linear with Micro Cement Adapter Grid


- Anodised Aluminium grids manufactured by Wetroom Innovations Ltd.
- Adapts Purus Living Linear drains to micro cement floor finishes.
- Creates a 3mm upstand.
- Choice of 3 outlets with Nood* no-odour spring traps.
- Built in falls reduces dirt or odour build up.
- Includes support legs for screed floors.
- Also compatible with Maxxus Linear floor formers.




Black




Length	Outlet	l/min	Code
600mm	Low	32	MC739B
600mm	Side	72	MC737B
600mm	End	72	MC738B
800mm	Low	32	MC745B
800mm	Side	72	MC743B
800mm	End	72	MC744B



Low Outlet -



Side Outlet -



End Outlet -



*Vertical outlet also available on request

Grey



Length	Outlet	l/min	Code
600mm	Low	32	MC739G
600mm	Side	72	MC737G
600mm	End	72	MC738G
800mm	Low	32	MC745G
800mm	Side	72	MC743G
800mm	End	72	MC744G

*What is NOOD? - A patented non-odour trap with a spring that permits high flow rates. Prevents back-flow and odours rising should a water seal evaporate.



Purus Living Linear Channel Drains

- Choice of 4 Stainless steel gratings.
- Choice of 2 lengths, 600mm or 800mm.
- Choice of 3 outlets with Nood* no-odour spring traps.
- Built in falls reduces dirt or odour build up.
- Includes joist installation kit, support legs for screed floors and a tanking collar.
- Compatible with Maxxus Linear floor formers.



Purus Living Linear Plus Channel Drains

- Chess design stainless steel grating.
- Choice of 2 lengths, 600mm or 800mm.
- Choice of 3 outlets with Nood* no-odour spring traps.
- Built in falls reduces dirt or odour build up.
- Includes support legs for screed floors.
- Compatible with Maxxus Linear floor formers.

Tile Insert Grate




Length	Outlet	l/min	Code
600mm	Low	32	52739
600mm	Side	72	52737
600mm	End	72	52738
800mm	Low	32	52745
800mm	Side	72	52743
800mm	End	72	52744

Twist Grate



Length	Outlet	l/min	Code
600mm	Low	32	52742
600mm	Side	72	52740
600mm	End	72	52741
800mm	Low	32	52748
800mm	Side	72	52746
800mm	End	72	52747

Brushed Brass Twist Grate





Length	Outlet	l/min	Code
600mm	Low	32	52742BR
600mm	Side	72	52740BR
600mm	End	72	52741BR
800mm	Low	32	52748BR
800mm	Side	72	52746BR
800mm	End	72	52747BR

Black Twist Grate





Length	Outlet	l/min	Code
600mm	Low	32	52742BL
600mm	Side	72	52740BL
600mm	End	72	52741BL
800mm	Low	32	52748BL
800mm	Side	72	52746BL
800mm	End	72	52747BL






Tile Insert Grate



Twist Grate



*Vertical outlet also available on request



Chess Grate





Length	Outlet	l/min	Code
600mm	Low	32	53304
600mm	Side	72	53303
600mm	End	72	53305

700mm	Low	32	53310
700mm	Side	72	53309
700mm	End	72	53311

800mm	Low	32	53316
800mm	Side	72	53315
800mm	End	72	53317

900mm	Low	32	53322
900mm	Side	72	53321
900mm	End	72	53323

1000mm	Low	32	53328
1000mm	Side	72	53327
1000mm	End	72	53329




*Vertical outlet also available on request




Linke Line Stainless Steel Channel Drains

- Made in Britain.
- Adjustable grating height - 10mm up to 17mm.
- Choice of 2 Stainless steel gratings.
- Choice of 5 lengths.
- Choice of 4 outlets with Nood* no-odour spring traps.
- Built in falls reduces dirt or odour build up.
- Optional joist installation kit.


500mm




700mm




950mm



1050mm




1300mm




Waste Outlets




Side Outlet -



Low Outlet -



End Outlet -



*Vertical outlet also available on request

Joist Installation Kit

Length	Code
500/700mm	9150JK
950/1050mm	9195JK
1300mm	9113JK

Tile Insert Grate



Length	Outlet	l/min	Code
500mm	Low	32	91501T
500mm	Side	72	91501T
500mm	End	72	91503T

700mm	Low	32	91701T
700mm	Side	72	91702T
700mm	End	72	91703T

950mm	Low	32	91951T
950mm	Side	72	91952T
950mm	End	72	91953T

1050mm	Low	32	91101T
1050mm	Side	72	91102T
1050mm	End	72	91103T

1300mm	Low	32	91131T
1300mm	Side	72	91132T
1300mm	End	72	91133T

Polished Stainless Grate



Length	Outlet	l/min	Code
500mm	Low	32	91501T
500mm	Side	72	91501T
500mm	End	72	91503T

700mm	Low	32	91701T
700mm	Side	72	91702T
700mm	End	72	91703T

950mm	Low	32	91951T
950mm	Side	72	91952T
950mm	End	72	91953T

1050mm	Low	32	91101T
1050mm	Side	72	91102T
1050mm	End	72	91103T

1300mm	Low	32	91131T
1300mm	Side	72	91132T
1300mm	End	72	91133T



Channel 100 Stainless Steel Channel Drains

- Ideal for shower areas, changing rooms, hotels, leisure facilities and industrial locations.
- Available in 600-2500mm lengths.
- Choice of 5 outlets with high flow rates.
- Premium quality 304 Stainless Steel.
- Heel-safe ideal for bare-foot areas.
- Install into concrete or timber.
- Centre drain location. *(end available upon request)*
- Bespoke service available, options include, 316 grade acid resistant stainless steel, L15 and M125 load bearing mesh grates.

Tile Floors




Chess Grate



1-3 day lead time

Length	Code
800mm	CH1080CC
1000mm	CH1010CC
1200mm	CH1012CC
1500mm	CH1015CC
2000mm	CH1020CC
2500mm	CH1025CC



Vinyl Floors




Chess Grate



1-3 day lead time

Length	Code
800mm	CH1080VC
1000mm	CH1010VC
1200mm	CH1012VC
1500mm	CH1015VC
2000mm	CH1020VC
2500mm	CH1025VC




Tile Insert Grate



1-3 day lead time

Length	Code
800mm	CH1080TC
1000mm	CH1010TC
1200mm	CH1012TC
1500mm	CH1015TC
2000mm	CH1020TC
2500mm	CH1025TC



Outlets

Horizontal Low 50mm Outlet

30 l/min flow rate
40mm solvent weld reducer
Spring loaded no-odour trap

PR640



Horizontal 50mm Outlet

60 l/min flow rate
40mm solvent weld reducer
Spring loaded no-odour trap

PR639



Vertical 75mm Outlet

78 l/min flow rate
Water seal trap

PR539



Vertical 110mm Outlet

78 l/min flow rate
Acid proof stainless steel
Water seal trap

PR536



Tile Backer Board



Tile Backer/Construction Board

- Superior multi-purpose thermal construction board.
- Extruded polystyrene core with reinforced cement polymer coating.
- Water resistant - ideal for use in areas subject to prolonged/permanent water immersion.
- Thermal properties reduce heat loss when used underneath under-floor heating systems.
- Excellent compressive strength, impact strength, sound reduction and fire resistance.
- Designed for the application of all tile types, cement based screeds and synthetic renders.
- Easy to use and fix using cement based flexible tile adhesive or screws and washers.

Properties	Value
Compressive Strength (10% deformation) BS EN 826	300 kPa
Thermal Conductivity to BS EN 13164 (5 years)	0.033 W/mK
Water Absorption by volume tested to BS EN 12087	0.6%
Density (foam core only)	36kg/m ³
Temperature Range	-50, +75 Degrees
Fire Performance BS 476 part 6, 7 surface spread of flames/EN 13501-1	Class O/Euroclass E
Sound Reduction to BS EN 10140-3 test results based on 6mm board	19dB

1200 x 600mm Boards

Size	Thickness	U-Value	Code
1200 x 600mm	4mm	3.75 (W/mk)	TB1204
1200 x 600mm	6mm	3.05 (W/mk)	TB1206
1200 x 600mm	10mm	2.23 (W/mk)	TB1210
1200 x 600mm	12.5mm	1.91 (W/mk)	TB1212


2400 x 600mm Boards

Size	Thickness	U-Value	Code
2400 x 600mm	10mm	2.23 (W/mk)	TB2410
2400 x 600mm	12.5mm	1.91 (W/mk)	TB2412
2400 x 600mm	20mm	1.33 (W/mk)	TB2420
2400 x 600mm	30mm	0.95 (W/mk)	TB2430
2400 x 600mm	40mm	0.74 (W/mk)	TB2440
2400 x 600mm	50mm	0.61 (W/mk)	TB2450
2400 x 600mm	60mm	0.51 (W/mk)	TB2460
2400 x 600mm	90mm	0.39 (W/mk)	TB2490

Tapered Tile Backer Boards

- Single one-way fall.
- Used to construct falls in wetroom floors.

Size	Fall Direction	Thickness	Code
1200 x 1200mm	1200mm	20-8mm	TB1212TB
1200 x 600mm	1200mm	20-8mm	TB126TBL
1200 x 600mm	600mm	20-8mm	TB126TBS



Curved Tile Backer Board

- Cuts allow the board to bend to a tight radius.
- Used for constructing curves such as corners or steam room ceilings.

Size	Cut Direction	Thickness	Code
1200 x 600mm	1200mm	20mm	TB12CBL
1200 x 600mm	600mm	20mm	TB12CBS



Bath Panels

- Adjustable legs.
- Easily cut to size on site.
- Made to measure service available.

Size	Thickness	Code
2100 x 600mm	30mm	TB21BP
1750 x 600mm	30mm	TB17BP
800 x 600mm	30mm	TB08BP

Tile Backer Board Fixings



Screws and Washers

- Zinc plated screws.
- 35mm diameter galvanised washers.
- Countersunk.
- Packs of 50.

Screw Length	Pack Size	Code
25mm	50	TBSW25
45mm	50	TBSW45



Washers

- 35mm diameter galvanised washers.
- Countersunk.
- Packs of 100.

Pack Size	Code
100	TBW35



High-Grab MS Polymer

- Highly durable, totally waterproof adhesive.
- Bonds and seals many different surfaces.
- 290ml cartridge.

Code
MSP290

Recessed Wall Niche




Recessed Wall Niche

- Pre-formed alcove for shower spaces.
- Creates a recessed shelf to provide extra space for toiletries.
- Fits wall cavity 100mm or deeper.
- External fascia may be trimmed.
- Waterproof and ready to tile.
- Constructed from 12.5mm Tile Backer Board.
- Provides thermal insulation.
- Pre-constructed to guarantee conformity and size.
- Can be used in either landscape or portrait orientation.




800 x 400mm

200 x 400mm




Internal Dimensions	External Dimensions	Code
200 x 400 x 85mm	300 x 500 x 100mm	MN200

300 x 400mm




Internal Dimensions	External Dimensions	Code
300 x 400 x 85mm	400 x 500 x 100mm	MN300

400 x 400mm




Internal Dimensions	External Dimensions	Code
400 x 400 x 85mm	500 x 500 x 100mm	MN400

500 x 400mm




Internal Dimensions	External Dimensions	Code
500 x 400 x 85mm	600 x 500 x 100mm	MN500



Internal Dimensions	External Dimensions	Code
800 x 400 x 85mm	900 x 500 x 100mm	MN800

Adjustable Height Shelf


York Seating Profile



York Profile

- Ideal for steam rooms, spas, swimming pools and bathrooms.
- Incredibly robust, made from high density polystyrene foam with a polymer modified cementitious screed over a glass fibre mesh face.
- Compressive strength of 300KPa.
- Waterproof and ready to tile.
- 7-10 day lead time.
- Bespoke service available.


Hampshire Seating Profile



Hampshire Profile

- Ideal for steam rooms, spas, swimming pools and bathrooms.
- Incredibly robust, made from high density polystyrene foam with a polymer modified cementitious screed over a glass fibre mesh face.
- Compressive strength of 300KPa.
- Waterproof and ready to tile.
- 7-10 day lead time.
- Bespoke service available.


York Single Seat



Single seat profile with uncoated ends. Includes installation kit.

Length	Code
1200mm	SPY120
1600mm	SPY160
2000mm	SPY200
2400mm	SPY240



Hampshire Single Seat



Single seat profile with uncoated ends. Includes installation kit.

Length	Code
1200mm	SPH120
1600mm	SPH160
2000mm	SPH200
2400mm	SPH240



York Corner Seat Mitred



Corner seat profile mitred at 90° with uncoated ends. Includes installation kit.

Length	Code
1200 x 1200mm	SPY1212M
1200 x 1600mm	SPY1216M
1600 x 1600mm	SPY1616M
1800 x 2000mm	SPY1820M


Hampshire Corner Seat Mitred



Corner seat profile mitred at 90° with uncoated ends. Includes installation kit.

Length	Code
1200 x 1200mm	SPH1212M
1200 x 1600mm	SPH1216M
1600 x 1600mm	SPH1616M
1800 x 2000mm	SPH1820M


York Corner Seat Radiused



Corner seat profile with 90° radius and uncoated ends. Includes installation kit.

Length	Code
1200 x 1200mm	SPY1212R
1200 x 1600mm	SPY1216R
1600 x 1600mm	SPY1616R
1800 x 2000mm	SPY1820R

Hampshire Corner Seat Radiused




Corner seat profile with 90° radius and uncoated ends. Includes installation kit.

Length	Code
1200 x 1200mm	SPH1212R
1200 x 1600mm	SPH1216R
1600 x 1600mm	SPH1616R
1800 x 2000mm	SPH1820R


Optional Seat End Profiles

End Profile - Small Radius




Code
SPY-R185

End Profile - Large Radius




Code
SPY-R523

End Profile - Small Radius



Code
SPH-R175

End Profile - Large Radius



Code
SPH-R483

Coated End - Required if tiling the end of the seat



Code
SPY-CE

Optional Factory Fitted Heating Systems Available - £POA

Coated End - Required if tiling the end of the seat





Code
SPH-CE

Optional Factory Fitted Heating Systems Available - £POA


Lincoln Seating Profile

Buckingham Seating Profile



Lincoln Profile

- Ideal for steam rooms, spas, swimming pools and bathrooms.
- Incredibly robust, made from high density polystyrene foam with a polymer modified cementitious screed over a glass fibre mesh face.
- Compressive strength of 300KPa.
- Waterproof and ready to tile.
- 7-10 day lead time.
- Bespoke service available.



Buckingham Profile

- Ideal for steam rooms, spas, swimming pools and bathrooms.
- Incredibly robust, made from high density polystyrene foam with a polymer modified cementitious screed over a glass fibre mesh face.
- Compressive strength of 300KPa.
- Waterproof and ready to tile.
- 7-10 day lead time.
- Bespoke service available.


Lincoln Single Seat



Single seat profile with uncoated ends. Includes installation kit.

Length	Code
1200mm	SPL120
1600mm	SPL160
2000mm	SPL200
2400mm	SPL240



Buckingham Single Seat



Single seat profile with uncoated ends. Includes installation kit.

Length	Code
1200mm	SPB120
1600mm	SPB160
2000mm	SPB200
2400mm	SPB240



Lincoln Corner Seat Mitred



Corner seat profile mitred at 90° with uncoated ends. Includes installation kit.

Length	Code
1200 x 1200mm	SPL1212M
1200 x 1600mm	SPL1216M
1600 x 1600mm	SPL1616M
1800 x 2000mm	SPL1820M


Buckingham Corner Seat Mitred



Corner seat profile mitred at 90° with uncoated ends. Includes installation kit.

Length	Code
1200 x 1200mm	SPB1212M
1200 x 1600mm	SPB1216M
1600 x 1600mm	SPB1616M
1800 x 2000mm	SPB1820M


Lincoln Corner Seat Radiused



Corner seat profile with 90° radius and uncoated ends. Includes installation kit.

Length	Code
1200 x 1200mm	SPL1212R
1200 x 1600mm	SPL1216R
1600 x 1600mm	SPL1616R
1800 x 2000mm	SPL1820R

Buckingham Corner Seat Radiused




Corner seat profile with 90° radius and uncoated ends. Includes installation kit.


Length	Code
1200 x 1200mm	SPB1212R
1200 x 1600mm	SPB1216R
1600 x 1600mm	SPB1616R
1800 x 2000mm	SPB1820R

Optional Seat End Profiles


End Profile - Small Radius




End Profile - Large Radius



End Profile - Small Radius



End Profile - Large Radius



Coated End - Required if tiling the end of the seat



Optional Factory Fitted Heating Systems Available - £POA

Coated End - Required if tiling the end of the seat



Optional Factory Fitted Heating Systems Available - £POA




Lounger Profiles

- Ideal for Steam Rooms, Spas Poolside or Gardens.
- Incredibly robust, made from high density polystyrene foam with a polymer modified cementitious screed over a glass fibre mesh face.
- Compressive strength of 300KPa.
- Waterproof and ready to tile.
- Optional factory fitted heating system.
- 7 day lead time.




Spiral & Circular Enclosures

- CNC machined panels manufactured from high density polystyrene with a polymer modified reinforced cement coating.
- Precision curves, unlike traditional block or angular timber construction.
- Easy to install modular units which are rigid and robust
- Concealed voids for pipes and mixer valves.




Devon Lounger

Product	Code
Standard Lounger	LP080
Water Heated	LP090
Electric Heated	LP100




Dorset Lounger

Product	Code
Standard Lounger	LP040
Water Heated	LP050
Electric Heated	LP060




Somerset Lounger



Product	Code
Standard Lounger	LP010
Water Heated	LP020
Electric Heated	LP030




Electric Heated




Water Heated





Rapidflex S1 Tile Adhesive

- Single part, rapid setting and waterproof.
- Fixes porcelain, ceramic, mosaic and natural stone tiles.
- Excellent initial grab - non slip.
- Internal or external use.
- Highly flexible.
- Bonds to most substrates including sand/cement, plywood, flooring grade asphalt, hard vinyl tiles and tile backer boards.
- Ideal for bathrooms and wet areas including swimming pools.



- Colour: White
 - Max Bed Thickness: 12mm
 - Adjust Time: 15-20mins
 - Grouting: 1-4hrs
 - Pot Life: 30-45mins
 - Open Time: 10-15mins
 - Type: Powder
 - Size: 20kgs
- Coverage per 20kg bag:
- 3mm = 5m²
 - 4mm = 3.44m²
 - 5mm = 2.5m²

Bag Size	Code
20kg	RFS120K



Ekomat Underfloor Heating


- Ready to install heating elements consisting of a thin heating cable securely attached to a self adhesive glass fibre mesh mat.
- Install in flexible tile adhesive or self levelling compound directly under the surface to be heated.
- Mat width 500mm.
- Mat thickness only 3.5mm.
- Power output of 160w/m².
- Life of tiling warranty.
- Multiple mats may be used for large areas.



Underfloor Heating Mat

Mat Size	Power	Mat Length	Code
1m ²	160w	2m	EM0100
1.5m ²	240w	3m	EM0150
2m ²	320w	4m	EM0200
2.5m ²	400w	5m	EM0250
3m ²	480w	6m	EM0300
3.5m ²	560w	7m	EM0350
4m ²	640w	8m	EM0400
5m ²	800w	10m	EM0500
6m ²	960w	12m	EM0600
7m ²	1120w	14m	EM0700
8m ²	1280w	16m	EM0800
10m ²	1600w	20m	EM1000

Mirror Demisters



- Simple low cost solution to clear mirrors of steam.
- Self adhesive and ultra thin.
- 230v, no transformer required.
- No thermostat required, can be wired either through a timer or through the lighting circuit to heat only when bathroom is in use. Must not be run continuously.

Size	Code
252 x 274mm	DEM25
574 x 274mm	DEM57
519 x 524mm	DEM51
790 x 524mm	DEM81
1004 x 524mm	DEM10
1506 x 524mm	DEM15



Heatmiser Slimline-E V2 Underfloor Heating Stat

- 5/2 day or 7 day programming.
- Temperature hold feature.
- Holiday feature.
- C/F selectable.
- Self learning optimum start on 1st and 3rd level.
- Key lock feature.
- Frost protection with adjustable temperature setting.
- 16A switch rating. (3,680 watts).
- White back-light (turns off after 30 seconds).

Colour	Code
White	SLEV2



Adept T6100 Wifi Underfloor Heating Stat

- Smart phone controllable via app (IOS and Android devices).
- Voice control via Amazon Echo and Google Home devices.
- Can also be used manually.
- Holiday function.
- Time display.
- Off time frost protection.
- Reverse output function.
- Floor high temperature protection.
- Open window detection function.
- Key-lock.
- Sensor selection.
- Hold function.
- Maximum switching current 15A.

Colour	Code
White	T6100WH
Black	T6100BL

amerec®

5 YEAR WARRANTY

For Domestic Steam Rooms

About The Amerec AK Series Steam System

Amerec's new AK generators were purpose-designed for home use, transforming your shower or bathing room into a daily invitation to comfort.

The AK generator uses full power to quickly heat up the steam room to its pre-set temperature, then cuts power by 1/3 or 2/3 of its heating elements. The result is a more consistent flow of soft steam and more stable temperature.

Available in 4 popular sizes - 4.5kW, 7.5kW, 11kW and 14kW.

Built without compromise, should attention ever be required engineers and genuine parts are always available to keep your steam room in service.

Key Features of the AK Series Steam System

- 5 year warranty.
- Three control options, Smart (K2), Simple (K3) and Basic (K4).
- Sequential temperature control delivers a more consistent flow of soft steam.
- Stainless steel tank and water level probes provide years of trouble-free operation.
- Removable heating elements provide easy and economical service.
- Can be connected together to heat rooms larger than 16m².
- Generators up to 11kW can be connected in single or three phase. 14kW 3 phase only.
- Dedicated wiring included.
- Controls can be placed inside or outside your steam room.
- Fully tested and approved.

Comfort Flo Steam Outlet

- Designed to provide an even spread of steam throughout the room.
- Sited at low level in your steam room.
- Recess on top takes oils for aromatherapy.
- Polished Chrome finish as standard.
- Available in 6 different plated finishes.

Special Finishes

- Upgrade the Comfort Flo outlet to one of five plated finishes.
- Also upgrades the K2 Control rear trim.
- Chrome is supplied as standard.



K2 Smart Touch Screen Control

Operate your steam bath from anywhere via the dedicated mobile app! K2 has a modern design and is simple to use with its clear display indicating temperature and run time.

- Touch screen operation for easy control.
- Surface mounted - inside or outside the steam room.
- Chrome rear trim supplied as standard with a choice of five alternate upgrade finishes.
- Intuitive display (temp/time/lighting/system status).
- 24hr time delay; 60 minute timer.
- Light control (on/off, dimmer and colour selection if purchasing AK lighting kit).
- WiFi module; mobile app functionality from anywhere there is mobile phone service.
- SaunaLogic App for Android or iPhone; and works with Google Home, Alexa and Siri.
- Includes OTA (Over the air) technology for automatic software updates to mobile device.

The **SaunaLogic app** allows you to control all function and programming of your steam room (and/or sauna) from wherever you are, requiring only a WiFi connection or phone service (3G/4G/5G). Within the app you can adjust temperature, choose light colour, set a delay time up to 24-hours, use the 60-minute timer and at a glance see the current status of your steam bath. Available for Android smart phones, iPads/tablets and works with Google Home, Alexa and Siri.



K3 Simple Touch Screen Control

For those who prefer simplicity.

- Touch screen which controls time and temperature.
- LED read out.
- Surface mounted - inside or outside the steam room.



K4 Basic On/Off Non-Thermostatic Control

- Basic on/off 30 minute control.
- Illuminates during operation.
- Compatible with AK4 generator only.
- Surface mounted - inside or outside the steam room.

Generator Ordering Codes

Room Size	Model	Power	Generator Size (WxDxH)	With K4 Control	With K3 Control	With K2 Control
Up to 5m ³	AK4	4.5kW	419 x 159 x 380mm			
Up to 9m ³	AK7	7.5kW	419 x 159 x 380mm			
Up to 14m ³	AK11	11kW	419 x 159 x 380mm			
Up to 20m ³	AK14	14kW	419 x 159 x 380mm			

For rooms made of natural stone, multiply the cubic volume of the room by 1.75 as natural stone requires more power to heat.

For rooms that exceed 15.5m³, multiple generators may be linked together to achieve the required capacity. Only one controller is required.

Special Finishes Ordering Codes

Size	Code
Polished Nickel	CFSOPN
Brushed Nickel	CFSOBN
Brushed Bronze	CFSOBB
Oil Rubbed Bronze	CFSORB
Matt Black	CFSOMB



Classic Shower Chair

- Folding seat.
- Adjustable seat height.
- Fine adjusting legs.
- Independently lifting arm rests.
- Aluminium rust free frame.
- Weight limit 190kg.

Product	Code
Classic Chair	S047707



Padded Shower Chair

- Folding seat.
- Adjustable seat height.
- Fine adjusting legs.
- Independently lifting arm rests.
- Aluminium rust free frame.
- Weight limit 190kg.

Product	Code
Padded Chair	S047692



Classic Shower Seat

- Folding seat.
- Fine adjusting legs.
- Aluminium rust free frame.
- Durable.
- Weight limit 190kg.


Product	Code
Classic Seat	S047702



Padded Shower Seat

- Folding seat.
- Fine adjusting legs.
- Aluminium rust free frame.
- Durable.
- Weight limit 190kg.

Product	Code
Padded Seat	S047700



Hinged Safety Bars

- Lift and lock folding mechanism.
- Minimum lateral movement.
- Non-corrosive stainless steel.
- Three finishes.
- Doc M compliant.


Finish	Code
Polished	SB880/SP
Satin	SB880/SS
White	SB880/WH



Contemporary Grab Rails

- High quality polished stainless steel.
- Nylon flange and two part flange cover.
- Straight or curved.
- Doc M compliant.


Profile	Length	Code
Straight	355mm	SB035/SP
Straight	480mm	SB048/SP
Straight	620mm	SB062/SP
Curved	355mm	SB235/SP
Curved	480mm	SB248/SP
Curved	620mm	SB262/SP



Stainless Grab Rails

- Non-corrosive grade 304 stainless steel.
- Concealed fixings.
- Two finishes.
- Doc M compliant.

Finished	Length	Code
Polished	300mm	SB12/32/SP
Polished	450mm	SB18/32/SP
Polished	600mm	SB24/32/SP
Satin	300mm	SB12/32/SS
Satin	450mm	SB18/32/SS
Satin	600mm	SB24/32/SS



Plastic Fluted Grab Rails

- High quality ABS plastic.
- UV stabilised to prevent colouration and degrading.
- No need to earth.
- Concealed fixings.
- Fluted for extra grip.
- Suitable for both interior and exterior use.

Length	Code
300mm	SB12/WH
450mm	SB18/WH
600mm	SB24/WH

Adaptations and Healthcare - Pellet Seats



The Pellet ASC Arsis Range of seats and grab bars offer high quality contemporary designs that blend into the refined ambiances of today's bathrooms. Focusing on style, comfort and safety whilst also conforming with the directive 93/42/EEC for medical products.



Anthracite & Mat Grey



Code
047734

Anthracite & Wood



Code
047728


White & Mat Grey

Foldaway Shower Seats

- Large size ergonomic seat made from polymer.
- Epoxy-coated aluminium leg.
- Can be unclipped from the wall bracket for cleaning.
- Can be replaced by a shower shelf using the same wall bracket.
- CE Marked : Safe load 150kg.
- 10 Year guarantee.



Code
047731



Anthracite



Code
047729

Full Black



Code
047750

White



Code
047730



White & Wood



Code
047725

Backrests with Armrests

- Offers more comfort and stability when seated in the shower.
- Keeps back away from cold tiles.
- Can be replaced with a cover plate using the same wall bracket.
- Backrest and armrests are both made from polymer.
- Armrest weight limit 80kg.
- 10 Year guarantee.



White Backrest with Grey & White Arms



Code
047721

White



Code
047720

Anthracite



Code
047723



Grab Bars

- Elegant design.
- Elliptic tube for an improved grip.
- Epoxy-coated aluminium.
- Corrosion resistant.
- CE Marked : Safe load 150kg.
- 10 Year guarantee.

Straight Grab Bar - 400mm

Anthracite & Wood



Code
049448

White & Wood



Code
049445

Anthracite



Code
049741

White




Code
049840

Black



Code
049541



135° Grab Bars - 200 x 200mm

Anthracite




Code
049732

White



Code
049832



Hinged Grab Bar - 600mm

- Soft close system.
- Tube 38 x 25mm

Anthracite




Code
048760

White



Code Pric
048660 £579.26



Adjustable Support Prop for Hinged Grab Bar

Anthracite




Code
048710

White




Code
048610



Shower Shelves

- Replaces the Foldaway Shower Seat and hides the mounting rail.
- Can be unclipped from the wall bracket for cleaning.
- 10 Year guarantee.



White



Code
047735

Anthracite



Code
047739


Black



Code
047733

Cover Plate

- Covers the Backrest and Armrest mounting rail.
- Made from Anodised Aluminium.
- 10 Year guarantee.



Code
044360



Our Half Height Doors;

- Can be made to measure with almost any configuration required.
- Are subject to extensive testing to meet the requirement of EU construction products directive (89/106/EC) in durability, impact resistance and cleanability.
- Use strong magnetic door closure strips and durable water seals.
- Have locking handles.
- Use a rise and fall hinge system using resilient parts for added strength.
- Lock into position when fully open.
- Come complete with white weighted curtain and rail.





Classic Range Features

- White aluminium frame with lifetime antibacterial properties.
- Frosted polycarbonate panels, meeting ISO Charpy impact test method.
- Triple dam bottom seals with water deflection flippers.
- Compensation allows adjustment of +/- 11.5mm.





We can produce almost any size or configuration.
Please contact get in touch if you do not see your required size.

Saloon Doors





Saloon Uni-fold Wall to Wall

Size	Code
Up to 1200mm	CS010
Up to 1600mm	CS011
Up to 1800mm	CS012



Saloon Bi-fold Wall to Wall

Size	Code
Up to 1200mm	CS013
Up to 1600mm	CS014
Up to 1800mm	CS015





Saloon Uni-fold With Two Fixed Panels Wall to Wall

Size	Code
Up to 1200mm	CS016
Up to 1600mm	CS017
Up to 1800mm	CS018

Corner Entry Doors



EDS4



Corner Entry Bi-Fold Non Handed

Size	Code
Up to 1000 x 1000mm	CS019
Up to 1200 x 1200mm	CS020
Up to 1600 x 1600mm	CS021



EDS5



Corner Entry Bi-Fold & Uni-Fold Left or Right Handed

Size	Code
Up to 1200 x 800mm	CS022
Up to 1500 x 900mm	CS023
Up to 1800 x 900mm	CS024


EDS6



Corner Entry Bi-Fold With Fixed Panel & Uni-Fold Left or Right Handed

Size	Code
Up to 1200 x 800mm	CS025
Up to 1500 x 900mm	CS026
Up to 1800 x 900mm	CS027

EDS7



Corner Entry Bi-Fold With Fixed Panel Left or Right Handed

Size	Code
Up to 1200 x 800mm	CS028
Up to 1500 x 900mm	CS029
Up to 1800 x 900mm	CS030



Our Half Height Doors;

- Can be made to measure with almost any configuration required.
- Are subject to extensive testing to meet the requirement of EU construction products directive (89/106/EC) in durability, impact resistance and cleanability.
- Use strong magnetic door closure strips and durable water seals.
- Have locking handles.
- Use a rise and fall hinge system using resilient parts for added strength.
- Lock into position when fully open.
- Come complete with white weighted curtain and rail.





Premium Range Features

- Silver aluminium frame.
- Choice of clear glass or frosted polycarbonate panels.
- Quadruple dam bottom seals with water deflection flippers.
- Compensation allows adjustment of + 7 / - 20mm.





We can produce almost any size or configuration.
Please contact get in touch if you do not see your required size.

Saloon Doors





Saloon Uni-fold Wall to Wall

Size	Frosted Polycarb	Clear Glass
Up to 1200mm	CS031	CS052
Up to 1600mm	CS032	CS053
Up to 1800mm	CS033	CS054



Saloon Bi-fold Wall to Wall



Size	Frosted Polycarb	Clear Glass
Up to 1200mm	CS034	CS055
Up to 1600mm	CS035	CS056
Up to 1800mm	CS036	CS057



Saloon Uni-fold With Two Fixed Panels Wall to Wall



Size	Frosted Polycarb	Clear Glass
Up to 1200mm	CS037	CS058
Up to 1600mm	CS038	CS059
Up to 1800mm	CS039	CS060

Corner Entry Doors





Corner Entry Bi-Fold Non Handed

Size	Frosted Polycarb	Clear Glass
Up to 1000 x 1000mm	CS040	CS061
Up to 1200 x 1200mm	CS041	CS062
Up to 1600 x 1600mm	CS042	CS063




Corner Entry Bi-Fold & Uni-Fold Left or Right Handed

Size	Frosted Polycarb	Clear Glass
Up to 1200 x 800mm	CS043	CS064
Up to 1500 x 900mm	CS044	CS065
Up to 1800 x 900mm	CS045	CS066



Corner Entry Bi-Fold With Fixed Panel & Uni-Fold Left or Right Handed

Size	Frosted Polycarb	Clear Glass
Up to 1200 x 800mm	CS046	CS067
Up to 1500 x 900mm	CS047	CS068
Up to 1800 x 900mm	CS048	CS069



Corner Entry Bi-Fold With Fixed Panel Left or Right Handed

Size	Frosted Polycarb	Clear Glass
Up to 1200 x 800mm	CS049	CS070
Up to 1500 x 900mm	CS050	CS071
Up to 1800 x 900mm	CS051	CS072

About

BETA Screens specialise in supplying bespoke shower screen solutions to suit almost any shower space at competitive prices.

BETA Screens are distinguished by a full glass high-end aesthetic, offering minimalist luxury at an affordable price. The effect is fully frameless, with pure sight lines that harmonise with both traditional and contemporary features and fittings.

Our knowledgeable staff can quickly and easily guide you through different configurations, offer advice and provide instant quotations over the phone if required.

Glass


BS EN 12150 toughened safety glass manufactured in the UK in either 6mm, 8mm or 10mm thickness. We offer seven different glass finishes including Clear, Ultra-Clear, Frosted, Smoked and Bronze. We can also etch script and basic designs/patterns.

Hardware

90% of our high quality screen hardware is manufactured in the UK using Chrome Plated Brass and is available to purchase separately. We can also offer many other finishes.

Other Products

Additionally; we can produce many other glass products such as; mirrors, splash backs, balustrades and table tops.



Single Screens

Wall Mounted Fixed Panels

Sizes available from stock

Includes Top Brace & Edge Channel.
Bespoke service available.

* Does not include a Top Brace.

Size (mm)	6mm	8mm	10mm
*150 x 2000			
*200 x 2000			
*300 x 2000			
400 x 2000			
500 x 2000			
600 x 2000			
700 x 2000			
800 x 2000			
900 x 2000			
1000 x 2000			
1100 x 2000			
1200 x 2000			
1400 x 2000			



Classic Hardware Finishes

Chrome
Supplied as Standard

Top Brace



Edge Channel



Gold



Accent Hardware Finishes

Actual Colours May Vary


Top Brace



Edge Channel



Matt Black



Brushed Nickel



Satin Chrome



Gold



Satin Brass



Polished Nickel



Brushed Satin Chrome



Antique Brass



Antique Brushed Copper



Satin Nickel



Antique Brushed Nickel



Brushed Bronze



Doors & Hinged Screens

Wall Mounted

Sizes available from stock

Includes Door Knob and Hinges.
Bespoke service available.

* Does not include a Door Knob.

Size (mm)	6mm	8mm	10mm
*200 x 1990			
*300 x 1990			
*400 x 1990			
*500 x 1990			
*600 x 1990			
600 x 1990			
700 x 1990			
750 x 1990			
800 x 1990			
850 x 1990			

Door Hardware Finishes

Chrome

Supplied as Standard



Matt Black



Brushed Nickel



Satin Chrome



Gold



Satin Brass



Polished Nickel



Brushed Satin Chrome



Antique Brass



Bath Screens

Fixed or Hinged

Flipper Hinge Conversion

Stock Hinged 180° Return Panel

Fixed Bath Screen
Includes Hardware.
Bespoke service available.



Chrome Hardware
Supplied as Standard



8mm

Size (mm)	Code
750 x 1500	BSB750F
850 x 1500	BSB850F

Stock 180° Hinged Return Panel

- 343 x 1990 x 8mm.
- Simply clamps on to an existing shower screen.
- Existing screen must be 2000mm tall and 8mm thick.
- Includes Hinges and Seals.

Size (mm)	Code
343 x 1990	BHRP180



Hinged Bath Screen
Includes Hardware.
Bespoke service available.




Chrome Hardware & Seals
Supplied as Standard



8mm

Size (mm)	Code
750 x 1500	BSB750H
850 x 1500	BSB850H



Bespoke Screens, Doors & Enclosures

Simply provide us with your measurements or a rough dimensional drawing for a quote

We specialise in supplying bespoke shower screens, doors and enclosures to suit any shower space.

- Fast quotes.
- Knowledgeable staff.
- Almost any configuration can be achieved.
- Angled top cuts, radius corners, tight spaces, floor to ceiling or unusual layouts are no problem.
- Precision CNC cut toughened safety glass manufactured in the UK.
- High quality hardware.
- Choice of hardware finishes
- Choice of glass thickness and finish/tint.

How to order a shower screen or enclosure

All we need is accurately measured tight dimensions where the glass is to be fitted, this should be measured from the finished surface i.e. tiles/wall panel ect. We will make all the necessary adjustments to ensure your shower screen or enclosure fits first time.

For example



When measuring an alcove for a door or in-line enclosure.

- Measure the gap in three places
- Measure finished height of the glass




When measuring for a floor to ceiling screen.

- Measure floor to ceiling in three places
- Measure width of the glass



When measuring an angled cut for a sloping ceiling.

- Measure as if panel was to be fitted floor to ceiling
- Measure finished height of the glass.
- To complete the enclosure provide the measurement for the door gap.



When measuring for an enclosure on a shower tray with a perimeter border.

- Measure once fitted and tiled
- Measure from the wall to the outside edge of the tray
- Deduct 20mm

Glass Finishes & Thickness

Clear Glass Supplied as Standard




Hardware Finishes

Chrome Supplied as Standard



Easy Clean Glass

Optional Factory Applied Coating



- Resistant to lime scale build-up and water marks.
- Retains and preserves long term glass transparency.
- Hinders bacteria growth.
- Easy to keep clean.


Code
BECG



Screen with Hinged Flipper Panel

Configuration Includes

- Top Brace
- Wall Channel
- 180° In-line Hinges - adjustable and self latching in all 3 positions
- Made to measure service
- 6mm, 8mm or 10mm toughened safety glass
- Choice of glass tints and hardware finishes available



Code

BSP01




Free Standing Screen

Configuration Includes

- Top Braces
- Made to measure service
- 6mm, 8mm or 10mm toughened safety glass
- Choice of glass tints and hardware finishes available

Layout



Code


BSP03



Screen with Hinged Flipper Panel

Configuration Includes

- Top Brace
- Wall Channel
- 180° Z-Hinges - adjustable and self latching in all 3 positions
- Made to measure service
- 6mm, 8mm or 10mm toughened safety glass
- Choice of glass tints and hardware finishes available



Code

BSP02




Free Standing Floor-Ceiling Screen

Configuration Includes

- Top Clamps
- Made to measure service
- 6mm, 8mm or 10mm toughened safety glass
- Choice of glass tints and hardware finishes available

Layout



Code

BSP04




Screen with 90° Fixed Panel

Configuration Includes

- Interlinking Top Brace
- Wall Channel
- 90° Channel
- Made to measure service
- 6mm, 8mm or 10mm toughened safety glass
- Choice of glass tints and hardware finishes available

Layouts



Code

BSP05




Screen with Angled Top

Configuration Includes

- Top Brace/Top Clamp
- Wall Channel
- Made to measure service
- 6mm, 8mm or 10mm toughened safety glass
- Choice of glass tints and hardware finishes available

Layout



Code

BSP07




Screen with Angled Top and 135° Fixed Panel

Configuration Includes

- Top Brace/Top Clamp
- Wall Channel
- 135° Brackets
- Made to measure service
- 6mm, 8mm or 10mm toughened safety glass
- Choice of glass tints and hardware finishes available

Layouts



Code

BSP06



Screen with Angled Top and 90° Fixed Return Panel

Configuration Includes

- Top Brace/Top Clamps
- Wall Channel
- 90° Channel
- Made to measure service
- 6mm, 8mm or 10mm toughened safety glass
- Choice of glass tints and hardware finishes available

Layouts



Code

BSP08



Screen with 90° Fixed Panel

Configuration Includes

- Top Braces
- Wall Channel
- 90° Channel
- Made to measure service
- 6mm, 8mm or 10mm toughened safety glass
- Choice of glass tints and hardware finishes available

Layout



Code

BSP09




Three Sided Enclosure

Configuration Includes

- Top Braces
- Wall Channel
- 90° Channel
- Hinges
- Door Knob
- Door Seals
- Made to measure service
- 6mm, 8mm or 10mm toughened safety glass
- Choice of glass tints and hardware finishes available

Layout



Code

BSP11




Free Standing Screen with 90° Fixed Panels

Configuration Includes

- Top Braces
- 90° Wall Channels
- Made to measure service
- 6mm, 8mm or 10mm toughened safety glass
- Choice of glass tints and hardware finishes available

Layout



Code

BSP10




Corner Enclosure

Configuration Includes

- Interlinking Top Brace
- Wall Channel
- Hinges
- Door Knob
- Door Seals
- Made to measure service
- 6mm, 8mm or 10mm toughened safety glass

Layouts



Code

BSP12




Corner Enclosure

Configuration Includes

- Top Brace
- Wall Channel
- Hinges
- Door Knob
- Door Seals
- Made to measure service
- 6mm, 8mm or 10mm toughened safety glass

Layouts



Code

BSP13




Corner Enclosure

Configuration Includes

- Top Braces
- Wall Channel
- Hinges
- Door Knob
- Door Seals
- Made to measure service
- 6mm, 8mm or 10mm toughened safety glass

Layouts



Code

BSP15




Corner Enclosure

Configuration Includes

- Interlinking Top Brace
- Wall Channel
- Hinges
- Door Knob
- Door Seals
- Made to measure service
- 6mm, 8mm or 10mm toughened safety glass

Layouts



Code

BSP14




Corner Enclosure with Angled Top

Configuration Includes

- Top Braces
- Wall Channel
- 90° Brackets
- Hinges
- Door D-Handle
- Door Seals
- Made to measure service
- 6mm, 8mm or 10mm toughened safety glass

Layouts



Code


BSP16



Corner Enclosure with Angled Top

Configuration Includes

- Top Braces
- Wall Channel
- 90° Channel
- Hinges
- Door D-Handle
- Door Seals
- Made to measure service
- 6mm, 8mm or 10mm toughened safety glass



Code

BSP17



Screen with Frosted Privacy Band

- Can be applied to any screen or enclosure when ordering
- Any size
- Robust and easy to clean
- Made to measure service
- 6mm, 8mm or 10mm toughened safety glass
- Choice of glass tints and hardware finishes available

Code


BSP19



Corner Enclosure with Angled Top

Configuration Includes

- Top Braces
- Wall Channel
- Hinges
- Door Knob
- Door Seals
- Made to measure service
- 6mm, 8mm or 10mm toughened safety glass



Code

BSP18



Frosted Etching

- Can be applied to any screen when ordering.
- We can produce custom text, logos or patterns
- Made to measure service
- 6mm, 8mm or 10mm toughened safety glass
- Choice of glass tints and hardware finishes available




Code

BSP20

Shower Screen Hardware

Available Separately
To Fit 6 - 10mm Glass

Standard Top Braces



Product	Length	Code
Top Brace - Straight	1200mm	SH100
Top Brace - Angled	740mm	SH105
Top Brace - Vertical	1200mm	SH110
Top Brace - Gold	1200mm	SH100GP

Interlinking Top Brace



Length	Code
1200mm	SH135

Multi-Angle Top Brace



Length	Code
1000mm	SH141
1300mm	SH142

Square Top Brace



Length	Code
1000mm	SH115

Drop Down Ceiling Fixing



Length	Code
420mm	SH145

Short Ceiling Fixing



Length	Code
1200mm	SH160


Toe Pedestals



Height	Code
5mm	SH170
19mm	SH175

Flush Mounting Channel

13.5mm depth



Length	Code
2000mm	SH220

Slim Compensator Profile

Allows 22mm adjustment



Length	Code
2000mm	SH215

90° Channel



Length	Code
2000mm	SH290

Top Brace

Fits 8-10mm Glass



Finish	Length	Code
Polished Chrome	1000mm	SH130PC
Matt Black	1000mm	SH130MB
Brushed Nickel	1000mm	SH130BN
Satin Chrome	1000mm	SH130SC
Gold	1000mm	SH130G
Satin Brass	1000mm	SH130SB
Satin Nickel	1000mm	SH130SN
Brushed Satin Chrome	1000mm	SH130BSC
Antique Brushed Copper	1000mm	SH130ABC
Antique Brass	1000mm	SH130AB
Polished Nickel	1000mm	SH130PN
Brushed Bronze	1000mm	SH130BB

Finishes Available

Actual colour may vary



Edge Channel

Fits 6-10mm Glass

Polished Aluminium



Finish	Length	Code
Polished Aluminium	2000mm	SH200
Matt Black	2000mm	SH200MB
Brushed Nickel	2000mm	SH200BN
Satin Chrome	2000mm	SH200SC
Gold	2000mm	SH200G
Satin Brass	2000mm	SH200SB
Satin Nickel	2000mm	SH200SN
Brushed Satin Chrome	2000mm	SH200BSC
Antique Brushed Copper	2000mm	SH200ABC
Antique Brass	2000mm	SH200AB
Polished Nickel	2000mm	SH200PH
Brushed Bronze	2000mm	SH200BB

Floor - Ceiling Pole

34mm Dia.




Finish	Length	Code
Chrome	3000mm	SH305
Matt Black	3000mm	SH310



Hinged Shower Door



- Reversible - can be left or right handed.
- Height - 1850mm.
- Width - 700mm - 900mm.
- Adjustment - 45mm.
- Outward opening
- 6mm toughened safety glass.
- Polished chrome profiles.
- Combine with a Side Panel to create an enclosure.
- 3 day lead time.




Width	Adjustment	Entry Width	Out Swing	Code
700mm	645 - 690mm	520mm	520mm	BHD70
760mm	705 - 750mm	580mm	580mm	BHD76
800mm	745 - 790mm	620mm	620mm	BHD80
900mm	845 - 890mm	720mm	720mm	BHD90

Pivot Shower Door



- Reversible - can be left or right handed.
- Height - 1850mm.
- Width - 700mm - 900mm.
- Adjustment - 40mm.
- Outward opening
- 6mm toughened safety glass.
- Polished chrome profiles.
- Combine with a Side Panel to create an enclosure.
- 3 day lead time.



Width	Adjustment	Entry Width	Out Swing	Code
700mm	645 - 690mm	430mm	400mm	BPD70
760mm	710 - 750mm	490mm	460mm	BPD76
800mm	750 - 790mm	530mm	500mm	PDD80
900mm	850 - 890mm	630mm	600mm	BPD90

Side Panel



- Combine with a Shower Door to create an enclosure.
- Height - 1850mm.
- Width - 700mm - 1000mm.
- Adjustment - 25mm.
- 6mm toughened safety glass.
- Polished chrome profiles.
- 3 day lead time.



Width	Adjustment	Code
700mm	665 - 690mm	BSP70
760mm	725 - 750mm	BSP76
800mm	765 - 790mm	BSP80
900mm	865 - 890mm	BSP90
1000mm	965 - 990mm	BSP10

Side Panel



- Combine with a Shower Door to create an enclosure.
- Height - 1850mm.
- Width - 700mm - 1000mm.
- Adjustment - 25mm.
- 6mm toughened safety glass.
- Polished chrome profiles.
- 3 day lead time.




Width	Adjustment	Code
700mm	665 - 690mm	BSP70
760mm	725 - 750mm	BSP76
800mm	765 - 790mm	BSP80
900mm	865 - 890mm	BSP90
1000mm	965 - 990mm	BSP10



Single Sliding Shower Door



- Reversible - can be left or right handed.
- Height - 1850mm.
- Width - 1000mm - 1700mm.
- Adjustment - 45mm.
- 6mm toughened safety glass.
- Polished chrome profiles.
- Combine with a Side Panel to create an enclosure.
- 3 day lead time.



Width	Adjustment	Entry Width	Code
1000mm	945 - 990mm	380mm	BSS10
1100mm	1045 - 1090mm	430mm	BSS11
1200mm	1145 - 1190mm	480mm	BSS12
1400mm	1345 - 1390mm	580mm	BSS14
1500mm	1445 - 1490mm	630mm	BSS15
1600mm	1545 - 1590mm	680mm	BSS16
1700mm	1645 - 1690mm	730mm	BSS17

Side Panel



- Combine with a Shower Door to create an enclosure.
- Height - 1850mm.
- Width - 700mm - 1000mm.
- Adjustment - 25mm.
- 6mm toughened safety glass.
- Polished chrome profiles.
- 3 day lead time.




Width	Adjustment	Code
700mm	665 - 690mm	BSP70
760mm	725 - 750mm	BSP76
800mm	765 - 790mm	BSP80
900mm	865 - 890mm	BSP90
1000mm	965 - 990mm	BSP10

Double Sliding Shower Door



- Height - 1850mm.
- Width - 1400mm - 1700mm.
- Adjustment - 45mm.
- 6mm toughened safety glass.
- Polished chrome profiles.
- Combine with a Side Panel to create an enclosure.
- 3 day lead time.



Width	Adjustment	Entry Width	Code
1400mm	1345 - 1390mm	510mm	BDS10
1500mm	1445 - 1490mm	560mm	BDS11
1600mm	1545 - 1590mm	610mm	BDS12
1700mm	1645 - 1690mm	660mm	BDS14

Side Panel



- Combine with a Shower Door to create an enclosure.
- Height - 1850mm.
- Width - 700mm - 1000mm.
- Adjustment - 25mm.
- 6mm toughened safety glass.
- Polished chrome profiles.
- 3 day lead time.




Width	Adjustment	Code
700mm	665 - 690mm	BSP70
760mm	725 - 750mm	BSP76
800mm	765 - 790mm	BSP80
900mm	865 - 890mm	BSP90
1000mm	965 - 990mm	BSP10



Bi-Fold Shower Door



- Reversible - can be left or right handed.
- Height - 1850mm.
- Width - 700mm - 1200mm.
- Adjustment - 40mm.
- 4mm toughened safety glass.
- Polished chrome profiles.
- Combine with a Side Panel to create an enclosure.
- 3 day lead time.



Width	Adjustment	Entry Width	Code
700mm	660 - 700mm	435mm	BBF10
760mm	720 - 760mm	495mm	BBF11
800mm	760 - 800mm	535mm	BBF12
900mm	860 - 900mm	635mm	BBF14
1000mm	960 - 1000mm	735mm	BBF15
1100mm	1060 - 1100mm	835mm	BBF16
1200mm	1160 - 1200mm	935mm	BBF17

Side Panel



- Combine with a Shower Door to create an enclosure.
- Height - 1850mm.
- Width - 700mm - 1000mm.
- Adjustment - 25mm.
- 6mm toughened safety glass.
- Polished chrome profiles.
- 3 day lead time.



Width	Adjustment	Code
700mm	665 - 690mm	BSP70
760mm	725 - 750mm	BSP76
800mm	765 - 790mm	BSP80
900mm	865 - 890mm	BSP90
1000mm	965 - 990mm	BSP10



Hinged Bath Screen

- Height - 1430mm.
- Width - 770mm - 785mm.
- In/out swing - 700mm.
- 180° Polished Chrome Hinge.
- Reversible.
- 6mm toughened safety glass.
- 3 day lead time.

Code	Code
BBS20	BBS20

Hinged Bath Screen with Rail

- Height - 1430mm.
- Width - 770mm - 785mm.
- In/out swing - 700mm.
- 180° Polished Chrome Hinge.
- Reversible.
- 6mm toughened safety glass.
- 3 day lead time.

Code	Code
BBS21	BBS21

Hinged Bath Screen with Fixed Panel

- Height - 1435mm.
- Width - 983mm - 998mm.
- In/out swing - 700mm.
- 180° Polished Chrome Hinge/Profile.
- Reversible.
- 6mm toughened safety glass.
- 3 day lead time.

Code	Code
BBS22	BBS22

Hinged Bath Screen with Fixed Panel with Rail

- Height - 1433mm.
- Width - 983mm - 998mm.
- In/out swing - 700mm
- 180° Polished Chrome Hinge/Profile.
- Reversible.
- 6mm toughened safety glass.
- 3 day lead time.

Code	Code
BBS23	BBS23

Fixed Bath Screen

- Height - 1400mm.
- Width - 350mm.
- Adjustment - 15mm.
- Polished Chrome Profile.
- 6mm toughened safety glass.
- 3 day lead time.

Code	Code
BBS24	BBS24

Hinged Bath Screen

- Height - 1520mm.
- Width - 815mm - 830mm.
- 180° Polished Chrome Hinge.
- Reversible.
- 8mm toughened safety glass.
- 3 day lead time.

Code	Code
BBS25	BBS25

Shower Screen Seals

Available Separately
To Fit 6 - 10mm Glass

Flap Seal



Bottom Seal



Bubble Seal



Lap Seal 180°



Lap Seal 90°



Product	Length	Code
Flap Seal	2000mm	FLPS2300
Bottom Seal	2000mm	BTMS2300
Bubble Seal	2000mm	BUBS2300
Lap Seal 180°	2000mm	LPS18D
Lap Seal 90°	2000mm	LPS90D

Robe Hook



Code
RHC020

Squeegee



Code
SQUG021

Threshold Bar



Length	Code
900mm	THB900
1800mm	THB1800

Nilglass Cleaner

Smear free
1 Litre.



Code
NIGC1L

Crystal Clear Silicon

310ml



Code
CCS310

Showerguard Kit



- Makes glass easy clean.
- One easy application gives permanent protection.
- Resists damaging chemical attack from harmful soaps and lime scale.
- Retains and preserves long-term glass transparency.
- Environmentally responsible.
- Coverage approximately 3m² per kit

Code
SGKIT

Carriage Charges & Returns**General Goods**

Free on orders over £130 (mainland UK only) except screens and as below.

Prices quoted are based on a consignment weight limit of 20kg. Over 20kg £POA

Below £130.00;	
Next day to mainland.	£15.00
Next day to Isle of Wight.	£30.00
Next day to Scottish Highlands	£50.00

Carriage Supplements for Urgent Delivery

	Over £130.00	Under £130.00
Next day before 10.30am.	£26.00	£42.00
Next day before noon.	£16.00	£29.00
Saturday.	£28.00	£44.00

Carriage for Offshore Delivery

2 - 5 day service to Channel Islands, Northern Ireland, Eire, Isle of Man, Isle of Wight, Scottish Isles, Scilly Isles £POA

Shower Screens Carriage

Fragile goods carrier 3 - 6 day service;	£55.00
Grampian and Scottish Highlands.	£POA
Offshore pallet rate.	£POA

Accepting Deliveries

Responsibility for signing is yours even if marked unchecked. Please ensure you sign for the correct amount of parcels, replacement items cannot be sent if this is not the case. If cartons are bent, split, buckled or show obvious signs of damage you must inform the driver and sign for the consignment as "damaged".

Returns

Returns of general goods will be accepted within 30 days of the invoice date, returns after 30 days are subject to our discretion. Goods must be returned in resalable condition. Credit will be given minus any applicable charges i.e.: restocking and carriage charges. Bespoke items i.e.: bespoke shower screens, bespoke drains and floor formers are non returnable.

Carriage Charges - Carriage Forwards

Where a carriage forward has been arranged and goods are not available causing a failed collection to occur, extra carriage charges will deducted from any credit given.

General goods - Carriage forward.	£55.00
General goods - Carriage forward, failed collection.	£10.00
Shower screens - Carriage forward.	£65.00
Shower screens - Carriage forward, failed collection.	£65.00
Pallets -	£POA

Restocking Charges

General goods.	25%
Shower screens.	25%

Note: Products should be installed by a competent person within the meaning of the Building Regulations. We cannot accept responsibility where this is not the case. We reserve the right to make a refundable charge in advance of taking remedial action where we feel incorrect fitting may be an issue. We reserve the right to change prices, designs and specifications at any time and without notice.